



GEA exclusive assortment 2015 / 2016



Dear customers,

Since the start of this year, GEA Farm has been offering its agricultural supplies catalogue for the first time in cooperation with the Kerbl Group.

The cooperation with the Kerbl Group means that we can offer you an even broader portfolio of products with over 10,000 additional articles. Benefit from premium-quality products, marketed by the Kerbl Group as an experienced and dependable partner offering excellent service.

This brochure showcases the GEA Exclusive Collection for 2015. These products are only available from your GEA specialist centre.

GEA & Kerbl Group



These symbols explain our pack units!



1 / 4 / 16

The first figure (1) shows you the unit of sale (number or sale-promoting package). It is the price basis. The following figures (4, 16) show you other possible packaging units.



6

Pieces in self-service-pack



25

Pieces per bag

Sales promotion packaging! The number quoted is the number contained in the pack. Here the price refers to the packaging units.

MQ

3

Minimum purchase quantity! This figure (3) shows you the smallest packaging unit. This is the minimum order quantity for retail.



200

The number indicated here tells you the total number of pieces per pallet.





All items marked with this icon must be shipped by freight carrier due to the nature of their scale/size or weight. This creates separate freight costs! Optimise freight costs by ordering entire pallet units!

GEA Vacuum Pump Oil VCL 22

The original Vacuum Pump Oil VCL 22 is specially designed for lubricating GEA vacuum pumps. The reliability of your vacuum pump has been confirmed through extensive testing with VCL 22. VCL 22...



- for vacuum pump lubrication
- made from ultra-pure base oils
- contains anti-corrosion additive, ensuring your vacuum pump is resistant to ageing
- certified according to DIN 51 502 Class VCL



| ref. no. | GEA no. | description | MQ |  |  |
|------------|---------------|-------------------|----|---|---|
| 151823-GEA | 7315-0809-000 | 1 litre bottle | 6 | 1/6 | 216 |
| 151824-GEA | 7315-0810-000 | 5 litre canister | 2 | 1/2 | 96 |
| 151825-GEA | 7315-0811-000 | 10 litre canister | 1 | 1 | 20 |
| 151827-GEA | 7315-0813-000 | 30 litre canister | 1 | 1 | 16 |
| 151826-GEA | 7315-0812-000 | 200 litre barrel | 2 | 1 | 2 |

Original GEA Oil for Miele Vacuum Pumps

- tested for vacuum pumps from Miele

| ref. no. | GEA no. | content | MQ |  |  |
|------------|---------------|---------|----|---|---|
| 151822-GEA | 7315-0808-000 | 5 l | 1 | 1/4 | 96 |



GEA Original Glide

Silicone Spray

- approved for silicone liners, silicone hoses and all rubber parts for milking machines
- reduced assembly time and effort



| ref. no. | GEA no. | content | MQ |  |
|------------|---------------|---------|----|---|
| 291207-GEA | 7315-2394-000 | 400 ml | 6 | 1/6 |





GEA Milk Filter Sock

- for vacuum systems
- gentle passage during filtration
- high-quality, food-safe material

GEA Milk Filter Sock, stitched 70 gsm


- made from fleece





| ref. no. | GEA no. | length | width | pieces/pack | use |  |  |
|-----------|---------------|--------|----------|-------------|---|---|---|
| 46278-GEA | 7319-0001-000 | 250 mm | 57/60 mm | 370 | GEA, Lister, Meltec, Lemmer Fullwood | 1/4 | 72 |
| 46192-GEA | 7315-4976-000 | 320 mm | 57/60 mm | 370 | DeLaval, Manus, Flaco, Utina, Gascoigne-Melotte | 1/4 | 96 |
| 46280-GEA | 7319-0002-000 | 455 mm | 57/60 mm | 370 | GEA, Meltec, Gascoigne-Melotte | 1/4 | 96 |
| 46283-GEA | 7319-0004-000 | 530 mm | 57/60 mm | 370 | Lemmer Fullwood, Mlone | 1/4 | 48 |
| 46286-GEA | 7319-0006-000 | 605 mm | 75/78 mm | 200 | GEA, Boumatic, SAC, Lely Robot | 1/8 | 96 |
| 46197-GEA | 7315-4976-100 | 620 mm | 57/60 mm | 370 | DeLaval, Manus, Flaco, DEC, Gascoigne-Melotte | 1/4 | 72 |
| 46290-GEA | 7319-0007-000 | 800 mm | 75/78 mm | 200 | GEA, Impulsa, Meltec | 1/10 | 120 |
| 46534-GEA | 7315-5062-100 | 914 mm | 124 mm | 200 | various | 4 | 1 |
| 46535-GEA | 7315-5062-200 | 851 mm | 124 mm | 200 | Meltec, Westfalia Systemat | 1/4 | - |
| 46536-GEA | 7315-5062-300 | 610 mm | 51 mm | 200 | Meltec | 1 | - |

GEA Milk Filter Sock, stitched 100 gsm

- made from fleece





| ref. no. | GEA no. | length | width | pieces/pack |  |  |
|-----------|---------------|--------|--------|-------------|---|---|
| 46289-GEA | 7315-4936-000 | 790 mm | 150 mm | 200 | 1/4 | 16 |
| 46293-GEA | 7315-4934-000 | 850 mm | 123 mm | 50 | 1/9 | 108 |

GEA Milk Filter Sock, stitched 120 gsm

- made from fleece





| ref. no. | GEA no. | length | width | pieces/pack | use |  |  |
|-----------|---------------|--------|----------|-------------|---|---|---|
| 46281-GEA | 7315-4931-000 | 455 mm | 57/60 mm | 100 | GEA, meltec, Gascoigne-Melotte | 1/10 | 100 |
| 46284-GEA | 7319-0005-000 | 530 mm | 57/60 mm | 100 | Lemmer Fullwood, Mlone | 1/10 | 180 |
| 46285-GEA | 7315-4933-000 | 605 mm | 75/78 mm | 100 | GEA, Boumatic, SAC, Lely Robot | 1/8 | 72 |
| 46287-GEA | 7315-4932-000 | 620 mm | 57/60 mm | 100 | DeLaval, Manus, Flaco, DEC, Gascoigne-Melotte | 1/10 | 90 |
| 46291-GEA | 7319-0008-000 | 800 mm | 75/78 mm | 100 | GEA, Impulsa, Meltec | 1/10 | 120 |
| 46292-GEA | 7315-4935-000 | 860 mm | 125 mm | 100 | various | 1/8 | 21 |

GEA Milk Filter Sock, stitched 140 gsm

- made from fleece or cotton




| ref. no. | GEA no. | length | width | pieces/pack | material |  |  |
|-----------|---------------|--------|----------|-------------|----------|--|---|
| 46520-GEA | 7315-4918-000 | 455 mm | 57/60 mm | 100 | Fleece | 1/10 | 90 |
| 46521-GEA | 7315-4919-000 | 530 mm | 57/60 mm | 100 | Fleece | 1/10 | 80 |
| 46522-GEA | 7315-4920-000 | 620 mm | 57/60 mm | 100 | Fleece | 1/10 | 90 |
| 46523-GEA | 7315-4921-000 | 605 mm | 75/78 mm | 100 | Fleece | 1/8 | 72 |
| 46524-GEA | 7315-4922-000 | 800 mm | 75/78 mm | 100 | Fleece | 1/10 | 60 |
| 46525-GEA | 7315-4923-000 | 455 mm | 57/60 mm | 100 | Cotton | 1/10 | - |
| 46526-GEA | 7315-4924-000 | 530 mm | 57/60 mm | 100 | Cotton | 1/10 | - |
| 46527-GEA | 7315-4925-000 | 620 mm | 57/60 mm | 100 | Cotton | 1/10 | - |
| 46528-GEA | 7315-4926-000 | 605 mm | 75/78 mm | 100 | Cotton | 1/8 | - |
| 46529-GEA | 7315-4927-000 | 800 mm | 75/78 mm | 100 | Cotton | 1/10 | 60 |

GEA Milk Filter Sock, stitched 55 gsm

For use in milking machines for sheep and goats

- made from fleece





| ref. no. | GEA no. | length | width | pieces/pack | use |  |  |
|-----------|---------------|--------|----------|-------------|--------------------------------|---|---|
| 46282-GEA | 7319-0003-000 | 455 mm | 57/60 mm | 250 | GEA, Meltec, Gascoigne-Melotte | 1/4 | 144 |

GEA Filter Discs

- suitable for GEA Pulsators



| ref. no. | GEA no. | pieces/pack | dimension | use |  |  |
|-----------|---------------|-------------|----------------------|-----------------------------------|---|---|
| 46274-GEA | 7315-4106-000 | 12 | 110 x 50 mm, 38 gsm | Constant Pulsator (from 1987) | 1 | - |
| 46275-GEA | 7315-4107-000 | 12 | 116 x 50 mm, 38 gsm | Constant Pulsator (before 1987) | 1/1000 | 5,000 |
| 46276-GEA | 7315-4108-000 | 12 | 70 x 46,5 mm, 80 gsm | Reversing valves, solenoid valves | 1 | - |

GEA Air Filter

- for the fresh air supply system of milking stations
- for use in the filter insert of the vacuum supply system
- heat-sealed



| ref. no. | GEA no. | length | width | pieces/pack |  |  |
|------------|---------------|--------|----------|-------------|---|---|
| 151821-GEA | 7319-0009-000 | 455 mm | 57/60 mm | 25 | 1/50 | 500 |



GEA Milk Tube Cleaning Sponge

- for removing residue in milk tubes in vacuum systems
- can be used multiple times, simply rinse out with warm water after each use!
- reliable
- compressed front surface
- white sponge: after milking
- grey sponge: after rinsing



| ref. no. | GEA no. | Ø sponge | pieces/pack | use |  |  |
|-----------|---------------|----------|-------------|---|---|---|
| 46271-GEA | 7315-4103-000 | 45 mm | 12 | Plexiglas lines 40 mm | 1/10 | 420 |
| 46272-GEA | 7315-4104-000 | 50 mm | 12 | Stainless steel line 40 mm | 1/7 | 294 |
| 46273-GEA | 7315-4105-000 | 60 mm | 12 | Plexiglas and stainless steel lines 50 mm | 1/6 | 252 |



GEA Udder Paper Sowotaan 200

- high-quality single-use udder paper
- extra strong wet strength
- well-suited for moist udder cleaning with water or an udder cleaning solution

Application information

Cleaning udders with udder paper should take place after pre-milking so that any germs in the pre-milk do not remain on the udder. Please use a clean udder cloth for each animal.



| ref. no. | GEA no. | description |  |  |
|-----------|---------------|---------------------|---|---|
| 15831-GEA | 7315-0742-000 | 10 x 200 sheet/pack | 1 | 63 |



GEA Udder Paper Sowotaan Jumbo

- high-quality single-use udder paper
- extra strong wet strength
- well-suited for moist udder cleaning with water or an udder cleaning solution
- can also be used when dry

Application information

Cleaning udders with udder paper should take place after pre-milking so that any germs in the pre-milk do not remain on the udder. Please use a clean udder cloth for each animal.



| ref. no. | GEA no. | description |  |  |
|-----------|---------------|---------------------|---|---|
| 15833-GEA | 7315-0744-000 | 6 x 1000 sheet/pack | 1 | 36 |





GEA Udder Paper ProfilacDermacel

- highly absorbent and stable udder paper in Airlaid quality
- well-suited for dry udder cleaning
- roughened surface removes dirt from the udder
- teat-stimulating

Application information



Cleaning udders with udder paper should take place after pre-milking so that any germs in the pre-milk do not remain on the udder. Please use a clean udder cloth for each animal.



| ref. no. | GEA no. | description |  |  |
|-----------|---------------|--------------------|---|---|
| 15832-GEA | 7315-0743-000 | 6 x 350 sheet/pack | 1 | 32 |

GEA Udder Paper Sowotaan Wet

- wet single-use udder paper for wet-cleaning of udders
- soaked in alcohol solution
- 900-sheet roll in the film pouch
- as a starter set, we recommend ordering the Udder Paper (15837-GEA) and the bucket with lid (15786-GEA) together



| ref. no. | GEA no. | description | MQ |  |  |
|-----------|---------------|------------------------|----|---|---|
| 15837-GEA | 7315-4950-000 | Udder paper 900 sheets | 2 | 1/2 | 70 |
| 15786-GEA | 7315-4974-400 | Empty bucket with lid | 1 | 1 | - |



GEA Udder Cloth ProfilacDermatex

- reusable fleece udder cloth
- washable up to 300 x
- best cleaning results thanks to surface with excellent grip





| ref. no. | GEA no. | length | width | pieces/pack |  |  |
|-----------|---------------|--------|--------|-------------|---|---|
| 15667-GEA | 7315-4972-000 | 270 mm | 290 mm | 50 | 1/8 | 128 |
| 15666-GEA | 7315-4971-000 | 340 mm | 370 mm | 50 | 1/6 | 72 |



GEA Dip Cup

- capacity approx. 300 ml
- with non-return stop so that no contaminated dipping agent can run back into the container





| ref. no. | GEA no. | description |  |  |
|-----------|---------------|---|---|---|
| 15643-GEA | 7315-4975-000 | Standard | 1/132 | 792 |
| 15647-GEA | 7315-4975-100 | for viscous media | 1/132 | 792 |
| 15648-GEA | 7315-4975-200 | for foaming media | 1/132 | 792 |
| 15649-GEA | 7315-4975-300 | for sheep & goats as well as low-hanging cow udders | 1/150 | - |

GEA Dip Sprayer PortaSpray

- capacity approx. 600 ml
- high-quality spray head with metal nozzle
- specially angled spray nozzle for optimum teat cleaning and spot-accurate dipping
- only use sprayable dipping agents



| ref. no. | GEA no. |  |  |
|-----------|---------------|---|---|
| 15642-GEA | 7315-4974-900 | 1/100 | 400 |

GEA Milk Bucket

- plastic (polycarbonate)
- food safe
- with double graduation (kg and lb)
- 30 litre capacity
- with metal carry handle
- bracket height 13.9 cm
- for daily use
- can be used to check each individual cow's milk yield
- also for mobile milking machines
- suitable for GEA milking machines
- suitable for Original GEA Stainless Steel Lid
- for colostrum or abnormal milk





| ref. no. | GEA no. | content |  |  |
|------------|---------------|---------|--|--|
| 151052-GEA | 7315-4974-700 | 30 l | 1 | 24 |

GEU Udder Care Product Salvocare Mint

- with pure peppermint oil
- thanks to the cooling effect, contributes to the maintenance of healthy teats and udders
- cleans the udder and provides care to support therapy
- the udder tissue's natural resistance is restored after just a few days
- ensures a healthy udder and high-quality milk when used regularly
- also highly suitable for massaging joints, muscles and tendons





| ref. no. | GEA no. | description | content |  |  |
|-----------|---------------|------------------|---------|---|---|
| 15260-GEA | 7315-0611-000 | Hanging bottle | 500 ml | 1/6 | 522 |
| 15264-GEA | 7315-0615-000 | Dispenser bottle | 2500 ml | 1/3 | 144 |

GEA Milker Apron

- extra-durable Pro Milker Apron for working at the milking station and dairy room
- impermeable to water (> 1000 hPa)
- high temperature resistance (-30 °C to +50 °C)
- extremely tear and kink-proof
- washable and made from a durable, flexible material
- backing material 100 % Polyester, coating 100 % PVC
- limited acid resistance





| ref. no. | GEA no. | size | description |  |  |
|-----------|---------------|------|--------------|---|---|
| 15600-GEA | 7315-0677-000 | M | 115 x 110 cm | 1/20 | 480 |
| 15601-GEA | 7315-0678-000 | L | 125 x 118 cm | 1/20 | 480 |
| 15602-GEA | 7315-0679-000 | XL | 140 x 124 cm | 1/20 | 480 |

GEA Milker Apron with Pockets

- extra-durable Pro Milker Apron for working at the milking station and dairy room
- with pockets for milking utensils
- with shoulder straps and an additional strap for closing at the front and back
- each pocket has 2 water drains
- impermeable to water (> 1000 hPa)
- high temperature resistance (-30 °C to +50 °C)
- extremely tear and kink-proof
- limited acid resistance
- washable and made from a durable, flexible material
- backing material 100 % Polyester, coating 100 % PVC



| ref. no. | GEA no. | size | description |  |  |
|-----------|---------------|------|--------------|---|---|
| 15603-GEA | 7315-0680-000 | S | 110 x 118 cm | 1/40 | 320 |
| 15604-GEA | 7315-0681-000 | L | 125 x 118 cm | 1/40 | 480 |



We live our values.

Excellence • Passion • Integrity • Responsibility • GEA-versity

The GEA Group is a global mechanical engineering group of companies with turnover in the billions and companies operating in over 50 countries. The company was founded in 1881 and is one of the largest suppliers of innovative systems and process technologies. The GEA Group is listed in the STOXX® Europe 600 Index.

GEA Farm Technologies GmbH

Siemensstraße 25 - 27, D-59199 Bönen
Tel. +49 (0) 23 83 93 7-0, Fax +49 (0) 23 83 93 8-0
www.gea.com

We do our best to constantly improve our range of products and keep it up-to-date.
Thus we reserve the right to change the design of our products.
With the publication of this catalogue all previous catalogues and price lists for the respective products are void.
All prices provided are the manufacturer's recommended retail prices and are inclusive of VAT.
All information is subject to typing and printing errors.
All prices are subject to change.
Changes in colour and design may occur due to printing technology reasons.
Reprinting in whole or in part is due to prior authorisation.